ATTY DOCKET NO. SERIAL NO. 73/5//								31511	
•	INFO	RMATION DISCLOSURE (Use s veral sheets if necessary	1	Wagdi W. Abadeer et al.					
		(000	FILING	FILING GROU					
U.S. PATENT DOCUMENTS									
EXAMINER		DOCUMENT NUMBER	DATE	NAME CLAS		CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
INITIAT)	/	6,124,143	9/2000	Sugasav	vara	///	///		
M.	$\langle \chi \rangle$	6,114,182	9/2000	Tabara				XX	
Al	$\langle \chi \rangle$	5,903,012	5/1999	Boerstle	er	1			
A.		5,872,449	2/1999	Gourav	aram et al.	\searrow	X	$\triangle X$	
M	$\langle \rangle$	5,867,033	2/1999	Sporck	et al.			X	
RS	$\langle \rangle$	5,846,848	12/1998	Chih-Sl	neng et al.		XX,	XX	
ar	ζχ	5,831,446	11/1998	So et al	•			2	
M	Λ,	5,798,649	8/1998	Smayling et al.		XX	\checkmark		
The state of the s		5,666,049	9/1997	Yamada et al.			\bigvee		
Al	X	5,654,895	8/1997	Bach et al.		/			
18	7/	5,561,373 10/1996 Itoh		Itoh		\times		17/	
			FORE	IGN PATE	ENT DOCUMENTS	·	/		
[H	1/1	DOCUMENT NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO	
		4////	///			7/			
							$4\times$		
	X			\times			$\sqrt{2}$		
7						>/	$4\times$		
' //						6	/		
	•	OTHER DOCUME	•	-	r, Title, Date, Pertinent F				
M	Hirth et al., THEORY OF DISLOCATIONS, John Wiley & Sons Publishers, Second Edition								
28									
P.G. Neudeck et al., BREAKDOWN DEGRADATION ASSOCIATED WITH ELEMENTARY SCREW DISLOCATIONS IN 4H-SiC p+ n JUNCTION RECTIFIERS, SOLID STATE ELECTRONICS, Vol. 42, No 12, 1998, pp. 2157-2164									
EXAMINER DATE CONSIDERED 18-112-01									
*EXAMINE	EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw lin through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								

BUR920010031US1								3/5//		
INFORMATION DISCLOSURE CITATION (Use several sh ets if necessary) Wagdi W. Abadeer et al.										
		(Oze several zu. etz ii necessa	∞	FILING						
	U.S. PATENT DOCUMENTS									
*EXAMINER		DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE		
NMA	/χ	5,448,513	9/1995	Hu et a		///	X	$/\lambda$		
38		5,418,738	5/1995	Abadee	r et al.					
OT		5,898,629	4/1999	Beffa et	al.	$/ \lambda$				
X	X/				7//	X_{\angle}				
	\sqrt{V}			\rightarrow	$\langle \chi \chi \rangle$		1/			
$\langle \bigvee \rangle$	//			X	XX		\times			
\mathcal{X}	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			\sum	$\langle \rangle \rangle$	/_	$\rightarrow \rightarrow$			
X	X			\angle			4X	X		
$\langle \chi \rangle$			\times			$\left\langle \begin{array}{c} X \\ X \end{array} \right\rangle$	$A \times X$	X/		
$\langle \chi \rangle$	 	/ / /		/		X		\times //		
lχ	χ.		<u>/ /</u>	<u> </u>				6/		
	· /	Γ	TORE	IGN PAIL	NT DOCUMENTS	 		TRANSLATION.		
		DOCUMENT NUMBER	DATE	1	COUNTRY	CLASS	SUBCLASS	YES NO		
	<u> </u>	1/	1	X			1/1			
[\swarrow				\times	$\langle \times \rangle$				
			$\langle \times \rangle$		/	\swarrow	A	\times		
	K		\nearrow		\langle / \rangle		1/>/			
1/6			6 /	<u> </u>	/ / /		1 /	1 / 10/		
	- / -	OTHER DOCUME	TION OF DIFE	FCTRIC	r, Title, Date, Pertinent BREAKDOWN FIELD O	FTHERMA	L SIO2 FILMS	DUE TO		
	Satoh et al., DEGRADATION OF DIELECTRIC BREAKDOWN FIELD OF THERMAL SIO2 FILMS DUE TO STRUCTURAL DEFECTS IN CZOCHRALSKI SILICON SUBSTRATES, J. Appl. Phys. 79 (10), 15 May 1996, pp. 7944-7957									
	H. Miura et al., NEW MECHANICAL RELIABILITY ISSUES FOR DEEP SUBMICRON DEVICES, IEEE Semiconductor Manufacturing Technology Workshop, (Cat. No. 98EX133), 1998, pp. 140-147									
EXAMINE	R /	10 (4)	wenses		DATE CONSIDERED	12-1	72-06)		
EXAMINER: Initial if reference copsid red, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Includ copy of this form with next communication to applicant.										

Form PTO-A820 (als f rm PTO-1449) P09C/REV03

Patent and Trademark Office * U.S. DEPARTMENT OF C MMERCE

INFORMATION DISCLOSURE CITATION					ATTY DOCKET NO SERIAL NO. /73/5/			13/51/	
					Wagdi W. Abadeer et al.				
		(ose covoral arcolo il mosto)	FILING GROUP						
U.S. PATENT DOCUMENTS									
*EXAMINER		DOCUMENT NUMBER	DATE		NAME		CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
INITIAL			/:/		\times / /		<u>/ X</u>		$\langle \chi_{\downarrow} \rangle$
7)			$\times\!$			X.		$X \angle$	\bigvee
\bigvee		$\times\!\!/\!\times\!\!\!/$		\searrow			$\triangle \checkmark$	X	
		$/\times/\times$	\times		\times /	\mathcal{M}		$\langle \ \ \ \ \ \rangle$	
	X	$//\times$			$\langle \times \rangle$		X_{-}		XX
		$\times \times$		\searrow	XX	\checkmark	\longrightarrow		$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
					X	\triangle		X/	\backslash
	\swarrow			\times	X		$\triangle \!$	X	
		\times / \times			XX	X		$\langle \rangle$	
		\times / \cdot				X			X//
7		/ X		$\perp \times$	//			<u> </u>	N N/
			FORE	IGN PATE	NT DOCUMENTS	· · · · · ·	,	· · · · · · · · · · · · · · · · · · ·	
///x	1/2	DOCUMENT NUMBER	DATE		COUNTRY		CLASS	SUBCLASS	TRANSLATION YES NO
				X		$\overline{}$			
XX	1		\times						
X_{\angle}	()			X	\times	$\langle \cdot \rangle$		\times	XX
X	1		\times	1/	\sim	X	\times	X	
X	1/9		<u> </u>				<u>/</u>	<u> </u>	///
^	, ' 	OTHER DOCUME			r, Title, Date, Per				VICES
M	H. Miura et al., MECHANICAL STRESS SIMULATION DURING GATE FORMATION OF MOS DEVICES CONSIDERING CRYSTALLIZATION INDUCED STRESS OF PHOSPHORUS DOPED SILICON THIN FILMS, Journal of Microelectronics, (UK), Vol. 26, No. 2-3, March 1995, pp. 249-253								
M	H. Miura et al., MECHANICAL STRESS SIMULATION FOR HIGHLY RELIABLE DEEP SUBMICRON DEVICES, IEICE Trans. Electron. (Japan), Inst. Elextron. Inf. & Commun. Eng., Vol. E82-C, No. 6, June 1999, pp. 830-838								
EXAMINE		1 An	0. /		DATE CONSIDERI	ED /7	g-nz	-(Yc	
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw lin through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.									

Form PTO-A820 (also form PTO-1449) Copyright 1994-97 LegalStar

P09C/REV03

Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE

					ATTY DOCKET NO. BUR9200100310-51 SERIAL NO. SERIAL			3/501		
•	INFO	RMATION DISCLOSURE		Wagdi W. Abadeer et al.						
		(USB Several Sheets II Indoesse	шу)	FILING GROUP						
				DOCUMENTS						
	-		0.3	AIENI				FILING DATE		
'EXAMINER INITIAL	/	DOCUMENT NUMBER	DATE	7	NAME	CLASS	SUBCLASS	IF APPROPRIATE		
	\nearrow	\times \times $/$								
				/		$K_{-}Z$		X		
	× ×				$/\times/$	X				
				X						
			X				X			
1				7						
///	X	//X						$X \nearrow$		
1/	1							X		
						/	1			
		7					/			
			FORE	IGN PATE	ENT DOCUMENTS			,		
[//		DOCUMENT NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO		
1/		(1 X 1		1			7			
		\times/\times		X				XV		
<i>[-][</i>		$\times \times$	\times				$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$			
			\times					K X		
/				7		1				
		OTHER DOCUME	•	_	r, Title, Date, Pertinent					
12		S. Wang et al., MOS TR Semiconductor Manufac	ANSISTOR WI turing Technolo	TH HIGH	I LEAKAGE FAILURE C hop, Taiwan Semicond. M	AUSED BY anuf. Comp	LOCOS DISLO any, Hsinchu, T	OCATION, aiwan, October 1996,		
	V_{λ}	pp. 22-23								
	S. H. Voldman et al., TLM: A TRENCH LEAKAGE MONITOR FOR A FOUR MEGABIT SPT DRAM TECHNOLOGY, IBM, Burlington, Technical Report, TR 19.90539, July 1990									
EXAMINER DATE CONSIDERED 19							2~6			
		hodel Alve	uto	in coef-	<u> </u>			conformance and not		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Includ copy of this form with next communication to applicant.										

Form PTO-A820 (als form PTO-1449)

Copyright 1994 LegalStar

P09C/REV03

Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE

					ATTY DOCKET NO. BUR9200100311	S	ERIAL NO.	13/5//		
•	INFO	RMATION DISCLOSURE (Use several shiels if necessary		Wagdi W. Abadeer et al.						
		(८७० ७०४वासा आ वाउ ॥ ॥व८७०३४	11	FILING /7/9/63		ROUP	17			
			U.S	. PATENT	DOCUMENTS	<u> </u>		, <u> </u>		
*EXAMINER		DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING DATE		
INITIAL .			\rightarrow					IF APPROPRIATE		
				/	\times	-/		\		
1//	\times	\times	<u>/X</u>	/	\nearrow		$\overline{\lambda}$			
($\times \times \times$			\times/\times	X_{-}	\leftarrow			
	\angle	$\langle \times / \times \rangle$				XX		$\overline{}$		
l //	\land	$\langle X \rangle$	\times							
	/			\perp	$/$ \times	$1 \rightarrow$				
	//				X/X			70		
			\times	X		XX		X /		
		$\langle \ / \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $			\times					
/		X /	\times		\times	+	\	77		
	 				-/-`		1/	///		
	<u> </u>		FORE	I/ IGN PATE	ENT DOCUMENTS			<u>/</u>		
/ / /		DOCUMENT NUMBER	DATE	l	COUNTRY	CLASS	SUBCLASS	TRANSLATION		
ZXX			0.7	ļ	X / .//	1		YES NO		
\ \ 				/	$\overline{}$	\	\times			
X_{\sim}	10			X_	/	\leftarrow	$+\times$	XX		
$\angle X$			\sim	X	\times		$\hspace{-0.1cm} \hspace{-0.1cm} -0$			
<u>/</u> /			$\langle - \rangle$	<u> </u>		<u>//</u>	1	X / /		
1	1	V7 6		X	· C		1~/	7/		
	U	OTHER DOCUME			r, Title, Date, Pertinent			I DED BIT I AND		
Mb.	M. Noguchi et al., 0.29 µm ² TRENCH CELL TECHNOLOGIES FOR 1 Gbit DRAMs WITH OPEN/FOLDED BIT-LANE LAYOUT AND SELECTIVE GROWTH TECHNIQUE, 1995 Symposium on VLSI Technology Digest of Technical Papers									
	P. Bakeman et al., A HIGH PERFORMANCE 16-Mbit DRAM TECHNOLOGY, 1990 Symposium on VLSI Technology Digest of Technical Papers									
EXAMINE	P ,	110 #	7-		DATE CONSIDERED	8-OZ	~()(
•EXAMINE	R: Initi		r or not citation is	in conform	<u> </u>	, 		onformance and not		
	*EXAMINER: Initial if reference considered, who ther or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include cepy of this form with next communication to applicant.									

F rm PTO-A820 (also f rm PTO-1449) P09C/REV03

Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE

	:		Docket Number (Optional) BUR920010031 U.S.	Application Number
INF	ORMA	ATION DISCLOSURE CITATION	Applicant(s)	/ -7
•	r	Use several sheets if necessary)	Wagdi W. Abadeer et al.	Group Art Unit
				Group Art Unit
*EXAMINER INTUAL		OTHER DOCUMENTS (Including Author, Titl	tle, Date, Pertinent Pages, Etc.)	
1	1	T. Pompl et al., INVESTIGATION OF ULTRA-TH CHARACTERIZATION OF SOFT BREAKDOW! Physics Symposium, San Jose CA, April 10-13, 2000	IIN GATE OXIDE RELIABILITY BY N AND HARD BREAKDOWN, Proce	EHAVIOR BY SEPARATE redings of the International Reliability
/ <i>X</i> // 1	(X)	Physics Symposium, San Jose CA, April 10-13, 2000	0, pp. 40-47	J
10	P		/ / / /	1 11
// /	X		\times	\bigvee
		$\times \times \times \times$	$^{\prime}$ \times \times	
//				
	//			
			X	$\overline{\setminus}$ \wedge
	\searrow			
-//		X/X		\
/· <u>X</u>		$\vee \times / \times$	\times	\times
1		$\overline{\langle}$		$^{\prime}$
	$\downarrow \angle$	/ X /_		X = X
/			$\overline{}$	
′ /	/		·/ \/ \	$X \times I$
		\longrightarrow		
			\searrow	
				X
(/ / / \	\checkmark \checkmark _	\times
X		X / X		
	ightharpoons	2/ /		
EXAMINER	//		DATE CONSIDERED	2-06
	JASE	de Ittoende		brough citation if not in conformance and

not considered. Include copy of this form with next communication to applicant.